

#### **BLUE SEAL EVOLUTION SERIES®**

4 The Environment

6 Induction options

8 Induction Cooktops

12 Sealed Hob Cooktops

15 Traditional Electric Cooktops

16 Induction Range Convection Oven

21 Sealed Hob Oven Range

21 Traditional Electric Oven Range

22 Electric Solid Top

25 Electric Solid Top Oven Range

26 Electric Griddle

29 Electric Griddle Oven Range

30 Electric Chargrills

34 Electric Salamanders

36 Electric Fryers

39 Filtamax

40 Electric Bratt Pans

43 Induction Wok

46 Electric Pasta Cooker

48 Electric Chip Scuttle

48 Electric Bain Marie

**50** Bench Tops





# THE ELECTRIC GENERATION IS HERE.



The Evolution Electric Series embodies the Blue Seal tradition of lifelong performance in a complete range of equipment designed to empower chefs and food service professionals to embrace the electric future.

# If it's not sustainable, why do it?

At Moffat, we aim to inspire chefs, bakers, and cooks to create a more sustainable world by equipping them with the best tools powered by renewable energy.

As innovators of world class cooking technology, we've taken up the challenge to reduce the environmental consequences of what we do. It's an evolving process of reducing our carbon footprint that's as much about elevating the performance and longevity of these products as it is about how they are made, packaged, delivered.

We are lucky that the heart of our operation is powered by renewable energy. The majority of electricity supplied to Moffat's New Zealand manufacturing facility in Christchurch is generated from hydroelectric power stations on South Island dams. These hydro dams are replenished by rainfall to provide a natural energy source with significantly lower greenhouse gas emissions than any fossil fuelled power alternative.

Our efforts to lift environmental performance are ongoing as we develop new processes and technology. At the same time, we encourage food service professionals to reduce their own carbon footprints by making the transition to more sustainable electric platforms.



#### Built to Last.

Blue Seal units are finished in heavy gauge 304 grade stainless steel. Fully framed doors incorporate a new heavy-duty hinge system, and our ranges are all built on a galvanised steel chassis. The superb finishing that is a hallmark of Blue Seal products includes fully welded seams and bullnoses, and polished stainless-steel surfaces.



#### Cook and Chill.

New inline refrigeration units mean raw ingredients can be contained and cooked in one place. Electric Cooktops, Griddles, and Chargrills can all be matched with 900mm or 1200mm gastronorm refrigeration bases, available in a two GN 1/1 drawer.

### A Griddle Where You Need It.

A Blue Seal Griddle Plate in 300, 600, or 900mm can now be fitted anywhere in your Electric Cooktop layout. They are available with smooth or ribbed surfaces, or a combination of both.

#### Hygiene Down the Line.

Rounded corners and edges (internal and external) and streamlined top surfaces make for effortless cleaning and wiping down of an entire cooking line.

#### Service on the Fly.

Blue Seal design allows each unit to be serviced and maintained in situ, minimising the need to remove it or shut down an entire cooking line.

## SING FROM THE COOKTOPS.

#### Induction Cooktops 450mm and 900mm

Stop jiggling the pans and fussing over temperature settings. The extended range of Evolution Series Induction Cooktops delivers all the power and precision you need to keep those brilliant ideas simmering.


Blue Seal functionality includes powerful new 5.0kW variable heat zones set beneath a heavy-duty 6mm ceramic glass glide top for effortless movement of pans. Auto pan detection keeps the kitchen cooler by turning off the heat when pans are removed.

Available in 450mm and 900mm widths, with round and full area induction zones, Evolution Series Induction Cooktops can be supplied with suite matching modular cabinet bases, including shelves and adjustable feet as standard.

#### **Induction Cooktop Standard Features**

- Heavy-duty construction
- Automatic pan detection switches induction zone off when pan removed
- · 3 models of base unit
- · Stainless steel exterior
- Fully modular
- · Easy clean, installation and service





Product	Model Options / Dimensions	Hob Variations	Model Codes	
450mm Induction Cooktop 5kW Full Area Induction Zone	Bench Model Cabinet Base Model Leg Stand Model		IN511F-B IN511F-CB IN511F-LS	
	<b>Bench model</b> W 450mm, D 812mm, H 355mm Incl. splashback 525mm			
	<b>All other models</b> W 450mm, D 812mm, H 915mm Incl. splashback 1085mm			

#### 450mm Induction Cooktop

3.5kW and 5kW Round Induction Zone



Bench Model

W 450mm, D 812mm, H 355mm Incl. splashback 525mm



W 450mm, D 812mm, H 915mm Incl. splashback 1085mm



IN511R3-CB IN511R3-LS



IN511R5-B IN511R5-CB IN511R5-LS

IN511R3-B



#### 450mm Induction Cooktop

2 x 5kW Full Area Induction Zones



Bench Model Cabinet Base Model Leg Stand Model

#### Bench model


W 450mm, D 812mm, H 355mm Incl. splashback 525mm

#### All other models


W 450mm, D 812mm, H 915mm Incl. splashback 1085mm



IN512F-B IN512F-CB IN512F-LS



Product	Model Options / Dimensions	Hob Variations	Model Codes
450mm Induction Cooktop 2 x 3.5kW and 2 x 5kW Round Induction Zones	Bench Model Cabinet Base Model Leg Stand Model  Bench model W 450mm, D 812mm, H 355mm Incl. splashback 525mm  All other models W 450mm, D 812mm, H 915mm Incl. splashback 1085mm	<u>O</u> <u>O</u> <u>O</u> <u>O</u>	IN512R3-B IN512R3-CB IN512R3-LS IN512R5-B IN512R5-CB IN512R5-LS



#### Product Model Options / Dimensions Hob Variations Model Codes

#### 900mm Induction Cooktop

4 x 5kW Full Area Induction Zones Bench Model Cabinet Base Model Leg Stand Model

#### Bench model

W 900mm, D 812mm, H 355mm Incl. splashback 525mm

#### All other models

W 900mm, D 812mm, H 915mm Incl. splashback 1085mm





IN514F-B IN514F-CB IN514F-LS



#### 900mm Induction Cooktop

4 x 3.5kW and 4 x 5kW Round Induction Zones



Bench Model Cabinet Base Model Leg Stand Model

#### Bench model

W 900mm, D 812mm, H 355mm Incl. splashback 525mm

#### All other models

W 900mm, D 812mm, H 915mm Incl. splashback 1085mm







IN514R3-B IN514R3-CB IN514R3-LS

IN514R5-B IN514R5-CB IN514R5-LS

#### 900mm Induction Cooktop

2 x 3.5kW or 4 x 5kW Round Induction Zones

2 x 5.0kW Full Area Induction Zones



Bench Model Cabinet Base Model Leg Stand Model

#### Bench model

W 900mm, D 812mm, H 355mm Incl. splashback 525mm

#### All other models

W 900mm, D 812mm, H 915mm Incl. splashback 1085mm







IN514R3F-B IN514R3F-CB IN514R3F-LS

IN514R5F-B IN514R5F-CB IN514R5F-LS

# THE DIFFERENCE IS ELEMENTARY.

#### Sealed Hob Cooktops 300mm, 600mm and 900mm

The Blue Seal Electric Sealed Hob Cooktops are a new take on traditional elements offering superior hygiene and easier cleaning.

Sealed cast iron 2.6kW hot plate elements direct boilovers and spillages to flow down the sides of the element onto the stainless-steel cooktop surface where they are easily wiped away at the end of service.

#### **Sealed Hob Cooktop Standard Features**

- Heavy-duty construction
- · 2.6kW cast iron hot plate elements
- · Bench model only (300mm)
- 3 models of base unit (600mm)
- 4 models of base unit (900mm)
- · Stainless steel exterior
- Fully modular
- · Easy clean, installation and service



Product	Model Options / Dimensions	Hob Variations	Model Codes
300mm Electric Cooktop 2 Sealed Hob Cooktop	Bench Model Only  Bench models W 300mm, D 812mm, H 315mm Incl. splashback 485mm		E512S-B



#### 600mm Electric Cooktop

4 Sealed Hob Cooktop

Bench Model Cabinet Base Model Leg Stand Model



E514S-B E514S-CB E514S-LS

#### Bench models

W 600mm, D 812mm, H 315mm Incl. splashback 485mm

#### All other models

Incl. splashback 1085mm



W 600mm, D 812mm, H 915mm

#### 900mm Electric Cooktop

6 Sealed Hob Cooktop

Bench Model Cabinet Base Model Leg Stand Model Refrigerated Base Model



E516S-B E516S-CB E516S-LS E516S-RB

#### Bench models

W 900mm, D 812mm, H 315mm Incl. splashback 485mm

#### All other models

W 900mm, D 812mm, H 915mm Incl. splashback 1085mm



#### Traditional Electric Cooktops 600mm and 900mm

Simplicity of operation and reliable performance are the key features defining Blue Seal's Electric Cooktops. There is a choice of 2.4kW radiant elements or 2kW solid plates and electric cooktops can accommodate 300, 600 or 900mm griddle plates.

#### **Traditional Electric Cooktop Standard Features**

- Heavy-duty construction
- 2.4kW radiant elements
- 12mm griddle plate
- 3 models of base unit (600mm)
- 4 models of base unit (900mm)
- · Stainless steel exterior
- Fully modular
- · Easy clean, installation and service

Product	Model Options / Dimensions	Hob Variations	Model Codes
600mm Electric Cooktop 4 Element Cooktop	Bench Model Cabinet Base Model Leg Stand Model		E514D-B, E514D-CB E514D-LS
	<b>Bench models</b> W 600mm, D 812mm, H 315mm Incl. splashback 485mm		E514C-B E514C-CB E514C-LS
	<b>All other models</b> W 600mm, D 812mm, H 915mm Incl. splashback 1085mm		E514B-B E514B-CB E514B-LS
900mm Electric Cooktop 6 Element Cooktop	Bench Model Cabinet Base Model Leg Stand Model Refrigerated Base Model		E516D-B, E516D-CB E516D-LS E516D-RB
	<b>Bench models</b> W 900mm, D 812mm, H 315mm Incl. splashback 485mm		E516C-B E516C-CB E516C-LS E516C-RB
	All other models W 900mm, D 812mm, H 915mm Incl. splashback 1085mm		E516B-B E516B-CB E516B-LS E516B-RB
			E516A-B E516A-CB

E516A-LS E516A-RB

# MEET THE MOTHER OF INDUCTION.

#### **Induction Range Convection Oven 900mm**

For the first time, Blue Seal has introduced the 900mm Induction Range with Convection Oven – a veritable powerhouse that food service professionals have long been waiting for.

It combines the best of all worlds, delivering speed and precision up top with a choice of round or full area induction cooking zones in 3.5kW or 5kW. And thanks to some clever design there's no compromise on space down below where a full size 6.1kW 2/1 GN convection oven is ready to perform with typical Blue Seal dependability.

#### **Induction Range Standard Features**

- · Heavy-duty construction
- · Four induction zones
- Automatic pan detection switches induction zone off when the pan is removed
- GN 2/1 6.kW electric convection oven
- Dual oven circulation fans
- Drop down door
- · Stainless steel exterior
- Fully modular
- · Easy clean, installation, and service



TWO 270MM .DIA ROUND INDUCTION ZONES 5KW HEATING / TWO 270MM SQUARE FULL AREA INDUCTION ZONES 5KW HEATING

#### MODELS ALSO AVAILABLE:

FOUR 270MM FULL INDUCTION ZONES 5KW HEATING

FOUR 270MM .DIA ROUND INDUCTION ZONES 5KW HEATING

FOUR 270MM .DIA ROUND INDUCTION ZONES 3.5KW HEATING

GN 2/1 6.1KW ELECTRIC CONVECTION OVEN

Disclaimer: The white circles and pastel yellow square colours in the rendered Image are not a product feature. They form part of this rendered image to demonstrate the dimension of the induction cooking zones and the proximity of each in the total cooking space.



### Product Model Options / Dimensions Hob Variations Model Codes

#### 900mm Induction Range Convection Oven

GN 2/1 Electric Convection oven with 4 x 5.0kW Full Area Induction

W 900mm, D 812mm, H 915mm Incl. splashback 1085mm



IN54F



#### 900mm Induction Range Convection Oven

GN 2/1 Electric Convection oven with

- 4 x 3.5kW Round Induction,
- 4 x 5.0kW Round Induction,
- 2 x 5.0kW Round and
- 2 x 5.0kW Full Area Induction



W 900mm, D 812mm, H 915mm Incl. splashback 1085mm







IN54R3 IN54R5

. . . \_ . \_ \_ .









Product	Model Options / Dimensions	Hob Variations	Model Codes
900mm Electric Oven Range	ELECTRIC STATIC OVEN		E506S E56S
6 Sealed Hob Cooktop	CONVECTION OVEN W 900mm, D 812mm, H 915mm		2303
	Incl. splashback 1085mm		



6 Element Cooktop





W 900mm, D 812mm, H 915mm Incl. splashback 1085mm
















E506A E56A







### NOTHING LESS THAN SOLID PERFORMANCE.

Electric Solid Top 900mm
Electric Solid top Oven Range 900mm, static or convection.

The new Evolution Series 900 Electric Solid Plate sets a new benchmark in heat control and rapid recovery.


Precise temperature settings across four independently controlled electric heat zones make it the consummate multitasker capable of handling any job from large pot boiling to small pan finishing.

#### **Electric Solid Top Standard Features**

- Heavy-duty construction
- 10.8kW solid hot plate
- 750mm x 570mm cooking area
- Four independent heating zones (2.7kW)
- · 16mm thick 16Mo3 chrome moly steel plate
- · 3 models of base unit
- 1 model of refrigerated base with two GN 1/1 drawers
- Fully modular
- Easy clean, installation and service

#### **Electric Solid Top Oven Range Standard Features**

- GN 2/1 6.5kW electric static or convection oven
- · Drop down door



Product	Model Options	Dimensions	Model Codes
900mm Electric Solid Top 10.8kW Solid Hot Plate	Bench Model Cabinet Base Model Leg Stand Model Refrigerated Base Model	Bench models W 900mm, D 812mm, H 315mm Incl. splashback 485mm  All other models W 900mm, D 812mm, H 915mm Incl. splashback 1085mm	E57-B E57-CB E57-LS E57-RB



900mm Electric Range Solid Top Oven Electric Static Oven Electric Convection Oven W 900mm, D 812mm, H 915mm Incl. splashback 1085mm

E570 E576







## A UNIVERSAL WORKSTATION.

Electric Griddles 600mm, 900mm, and 1200mm
Electric Griddle Ranges 900mm, static or convection

An Evolution Series Griddle offers precise temperature control and even heat distribution across the 20mm solid hotplate make the Evolution Series Electric Griddle a versatile addition to any food production line when reputation depends on consistent results.

Griddle plates are available with ribbed or smooth finish (or both) and a choice of mild steel or mirror chromed finish easy cleaning and superior heat transfer.

#### **Electric Griddle Standard Features**

- Heavy-duty construction
- Thermostatic control
- 20mm thick machined top plates
- Top weld sealed plates
- Stainless steel grease drawer
- · 3 models of base unit
- 1 model refrigerated base with two GN 1/1 drawers (900mm, 1200mm)
- Stainless steel exterior
- Fully modular
- · Easy clean, installation and service
- Choice of griddle surface smooth, ribbed, or both
- Mirror chromed plate option

Product	Model Options	Dimensions	Model Codes
600mm Electric Griddle	Bench Model Cabinet Base Model Leg Stand Model Refrigerated Base Model	Bench model W 600mm, D 812mm, H 315mm Incl. splashback 485mm  All other models W 600mm, D 812mm, H 915mm Incl. splashback 1085mm	EP514-B EP514-CB EP514-LS
ECCESION OF THE PROPERTY OF TH			



#### 900mm Electric Griddle

Bench Model Cabinet Base Model Leg Stand Model Refrigerated Base Model

#### Bench model

W 900mm, D 812mm, H 315mm Incl. splashback 485mm

#### EP516-CB EP516-LS EP516-RB

EP516-B

#### All other models

W 900mm, D 812mm, H 915mm Incl. splashback 1085mm



#### 1200mm Electric Griddle

Bench Model Cabinet Base Model Leg Stand Model Refrigerated Base Model

#### Bench model

W 1200mm, D 812mm, H 315mm Incl. splashback 485mm

#### All other models


W 900mm, D 812mm, H 915mm Incl. splashback 1085mm EP518-B EP518-CB EP518-LS EP518-RB





Product	Model Options	Dimensions	Model Codes
900mm Electric Griddle Oven Range	Electric Static Oven Electric Convection Oven	W 900mm, D 812mm, H 915mm Incl. splashback 1085mm	EP506 EP56







# POWER TO THE GRILL.

#### Electric Chargrill 600mm and 900mm.

Evolution Series Electric Chargrills capture the tradition and authentic flavours of flame grilling but without the flames.

Searingly fast heat up times, uniform temperatures across the entire grill, and direct cooking on the elements for better heat transfer and even caramelisation make these a game changing addition for chargrilling consistency. A water pan located underneath the elements adds moisture to the cooking process.

The absence of a cast iron grate makes cleaning the electric chargrill a simple matter of turning the elements up to full power to burn off fats and other residue.

#### **Electric Chargrill Standard Features**

- Heavy-duty construction
- · Direct contact cooking elements
- Fast response heating
- · Up to 400°C cooking temperature
- No cooking grates required
- · 13.4kW heating elements
- · Separate left and right heat zones
- · 3 models of base unit
- Stainless steel exterior
- Fully modular
- Easy clean, installation and service



Product	Model Options	Dimensions	Model Codes
600mm Electric Chargrill	Bench Model Cabinet Base Model Leg Stand Model	Bench model W 600mm, D 812mm, H 355mm Incl. splashback 525mm  All other models W 600mm, D 812mm, H 915mm Incl. splashback 1085mm	E594D-B E594D-CB E594D-LS



#### 900mm Electric Chargrill

Bench Model Cabinet Base Model Leg Stand Model Refrigerated Base Model

#### Bench model

W 900mm, D 812mm, H 355mm Incl. splashback 525mm

#### E596D-B E596D-LS E596D-CB

#### All other models

W 900mm, D 812mm, H 915mm Incl. splashback 1085mm





## FINISH AND GO.

#### Electric Salamanders 600mm and 900mm.

Blue Seal Evolution Series Electric Salamanders are versatile, easy to use and well equipped with performance features.

The E90Q features faster performance which comes from high-speed elements that heat up instantly and consume less energy while directing more heat to the cooking surfaces. All Blue Seal Salamanders can accommodate a Gastronorm GN 1/1 Tray.

#### **E90Q Ultrarapid Electric Salamander Standard Features**

- 4kW
- · Self balancing adjustable grill height
- 1/1 GN pan compatible
- · Infrared tungsten heating elements protected by a glass ceramic plate
- Ultra quick heating 20 seconds to reach maximum temperature from ignition, max 5 seconds in operation
- Energy saving with ultra quick heating upon ignition
- Two independent cooking areas
- Large view digital display for timer countdown and easy to use control for time and cooking zone selection
- Perfect cooking uniformity with deflector and centering of the cooking plate under the heating elements
- Minimum heat dispersion hot air is released towards the back reducing the temperature within the operating areas
- Insulated on external surfaces and handle for operator safety
- Open on 3 sides allowing easy loading
- · Wall mounting bracket option
- · Easy clean

#### **E90QT - Contact version**

 Enhanced energy saving with pan detection bar for automatic switching on and off

Product	Model Options	Dimensions	Model Codes
600mm Electric Ultrarapid Adjustable Salamander	Self balancing adjustable grill height Enhanced energy saving with pan detection bar for automatic switching on and off	W 600mm D 510mm (540mm with wall mounting bracket) H 514mm	E90Q E90QT



600mm Electric Adjustable Salamander Self balancing adjustable grill height

W 600mm D 510mm (540mm with wall mounting bracket) H 514mm

E90



900mm Electric Salamander Four position racking (flat or inclined)

W 900mm, D 424mm (455mm with wall mounting bracket), H 456mm

E91 E91B







## FRY MORE.

#### High Performance Electric Fryers 450mm and 600mm

The high-capacity 600mm Electric Fryers have joined the Blue Seal family. Available in single or twin pan configuration, with digital or manual controls, all models are equipped with powerful 22kW single flat bar elements that are simpler and easier to clean than traditional coiled elements.

The 600mm single pan options are designed for high production applications and can accommodate three standard baskets or two large. The twin models offer flexibility and economy of usage by allowing different foods to be fried in each side or one side to be turned off during quieter food service periods.

#### **Electric 600mm Fryer Standard Features**

- 22kW high performance single and twin pan fryers
- · Easy clean flat bar heating elements
- · Electronic thermostat or digital control
- · Easy clean stainless steel open pan with
- 10 year limited warranty
- 35L oil capacity or twin pan 17.5L per pan oil capacity
- Insulated on external surfaces and handle for operator safety
- · Stainless steel exterior
- Fully modular
- · Easy clean, installation and service

Product	Capacity / Dimensions	Variations	Model Codes
450mm Single Pan	27 Litre Capacity	Mechanical Controls	E43
Electric Fryer	W 450mm, D 812mm, H 915mm Incl. splashback 1085mm	Digital Display Controls	E43E



450mm Twin Pan Electric Fryer 12 Litre Capacity Per Pan
W 450mm, D 812mm, H 915mm
Incl. splashback 1085mm

Mechanical Controls E44

Digital Display Controls E44E



600mm Single Pan Electric Fryer 35 Litre Capacity

W 600mm, D 812mm, H 915mm Incl. splashback 1085mm Mechanical Controls

E60

E60E

Digital Display Controls



Product	Capacity / Dimensions	Variations	Model Codes
600mm	17.5 Litre Capacity Per Pan	Mechanical Controls	E66
Twin Pan Electric Fryer	W 600mm, D 812mm, H 915mm Incl. splashback 1085mm	Digital Display Controls	E66E



### FILTAMAX.

Filtamax is the ideal companion for Blue Seal Evolution Series Fryers because it enhances flavours by removing particles from the oil that would otherwise burn and taint the food. Filtamax works with premium vegetable oils and shortenings, extending the life of your oil and reducing the costs of replacement. It's easy to use – taking just 10 minutes to drain, filter and refill a 26-litre tank.

#### **Filtamax Standard Features**

- · Heavy-duty 304 grade stainless steel finish
- Powerful reversible 1/3 HP pump
- · Reusable filter bag
- · Mounted on two fixed and two swivel castors
- Rigid delivery hose with heavy-duty insulated handle
- · Easy clean, installation and service

Product	Capacity	Dimensions	Model Codes
Filtamax Electric Filtration System	20 Litre Capacity	W 324mm, D 683mm, H 562mm	EF30
	30 Litre Capacity	W 324mm, D 735mm, H 562mm	EF35
	32 Litre Capacity	W 324mm, D 683mm, H 562mm	EF40



# SPEAK VOLUMES.

#### Electric Bratt Pans 900mm and 1200mm

Feeding the crowd calls for a Blue Seal Tilting Electric Bratt Pan. Big on performance, the Blue Seal Evolution Series of electric tilting Bratt Pans include 80 litre (900mm wide) and 120 litre (1200mm wide).

Easy clean, easy service and superb finishing make the Bratt Pan a welcome addition to any Blue Seal Evolution Series kitchen. Manually operated tilting mechanism comes as standard, electric power tilting is an option.

#### **Electric Bratt Pan Standard Features**

- Heavy-duty construction
- Manually operated tilting mechanism
- Heavy-duty lid and hinge system
- · Galvanized steel chassis
- Stainless steel exterior
- Full stainless steel pan with 2mm pan body
- · 12mm thick stainless steel even heat pan base
- Large capacity pouring spout
- · Heavy-duty stainless steel legs with adjustable feet
- · Large easy use control knobs heat resistant reinforced
- · Thermostatic control
- · Over temperature safety cut-out
- Fold away handle on manual pan tilt
- Easy clean, installation and service



Product	Capacity / Dimensions	Variations	Model Codes
900mm Electric Bratt Pan	80 Litre Capacity Per Pan	Manually operated tilting mechanism	E580-8
	W 900mm, D 812mm, H 915mm Incl. splashback 1085mm With lid open 1566mm	Optional electric power tilting mechanism	E580-8E




#### 1200mm Electric Bratt Pan

120 Litre Capacity Per Pan Manually operated tilting E580-12 mechanism W 1200mm, D 812mm, H 915mm Incl. splashback 1085mm Optional electric power tilting E580-12E mechanism

With lid open 1566mm





# LET INDUCTION DO THE WOK.


#### **Induction Wok 450mm**

The Induction Wok is designed for small scale operations wanting to add an Asian dimension to western style cooking without the additional expense of an extraction system.

Available in 3.5kW or 5.0 kW with a choice of bench mount, cabinet base or leg stand with shelf.

#### **Induction Wok Standard Features**

- Heavy-duty construction
- · 300mm round induction wok 3.5kW or 5.0kW models
- Automatic pan detection switches induction off when the wok is removed
- · Two models of base unit
- · Stainless steel exterior
- Fully modular
- · Easy clean, installation, and service



Product	Model Options / Dimensions	Model Codes
450mm Induction Wok 3.5kW and 5kW models	Bench Model Cabinet Base Model Leg Stand Model	IN511W3-B IN511W3-CB IN511W3-LS
	<b>Bench model</b> W 450mm, D 812mm, H 415mm Incl. splashback 585mm	IN511W5-B IN511W5-CB IN511W5-LS
	<b>All other models</b> W 450mm, D 812mm, H 915mm Incl. splashback 1085mm	

### THE PASTA MASTER.

#### **Electric Pasta Cooker 450mm**

Built for speed with its unique pan design, the Blue Seal electric pasta cooker is the wizard of high turnover pasta production.

From variable high boil to standby simmer, our patented infrared burner system maintains constant water temperature and enables faster turnaround through faster recovery times from low heat settings.

The cooker is equipped with six baskets to allow different pastas to be cooked at the same time.

#### **Electric Pasta Cooker Standard Features**

- Unique pan design
- · Fine adjustment water faucet for pan filling
- Starch-skimming system for constant water freshness
- 316 grade stainless steel pan for extra resistance to salt effects
- Easy clean stainless steel open pan with 10-year limited warranty
- · 25mm drain valve for safe and easy cleaning
- · Six stainless steel pasta baskets for multiple pasta cooking
- Safety cut out thermostat for empty pan/water boil out
- · Hinged basket drain stand
- · Removable basket support grid
- · Adjustable feet and additional rear rollers
- Easy clean, installation and service



Product	Capacity / Dimensions	Heating Power	Model Codes
450mm	40 Litre Capacity	10.5kW 3 phase	E47
Single Pan Electric Pasta Cooker	W 450mm, D 812mm, H 915mm	7.0kW 1 phase	E47-7
10.5 kW and 7.0kW	Incl. splashback 1085mm		





## HOT AND READY.

### Electric Chip Scuttle 450mm Electric Bain Marie 450mm

Perfectly held and ready to serve. These quick hold options have small scale operations covered.

#### **Chip Scuttle Standard Features**

- · Heavy-duty construction
- · Easy clean stainless steel pan
- · 1.0kW infrared ceramic heater
- · Removable scoop / drain screen
- · Stainless steel exterior
- Fully modular
- · Easy clean, installation and service

#### **Bain Marie Standard Features**

- Heavy-duty construction
- · High performance Bain Marie
- Easy clean 160mm stainless steel 1/1 GN pan
- · 1.0kW externally mounted element
- · Integrated water fill and water faucet
- · Safety cut-out thermostat empty pan
- · Stainless steel exterior
- Fully modular
- · Easy clean, installation and service

Product	Dimensions	Model Codes
450mm Electric Chip Scuttle	W 450mm, D 805mm, H 915mm Incl. heater 1350mm	CS45E



450mm Electric Bain Marie W 450mm, D 805mm, H 915mm Incl. splashback 1085mm

EB45D





### SPACE STATIONS.

#### Bench Tops 300mm - 900mm

When working space is at a premium and you need more of it, Blue Seal Bench Tops are a welcome addition to your cooking lineup.

In a variety of widths and combinations to streamline your kitchen 300mm (leg stand only), 450mm, 600mm and 900mm available with cabinet base, leg stand or refrigerated base (900mm only).

The 900mm wide bench top is also available with Salamander support. Blue Seal Bench Tops give you the option of extra work area, storage or refrigeration.

#### **Bench Top Standard Features**

- 3.5mm thick compound work surface
  - 1.5mm heavy-duty 304 grade stainless steel top
  - 2.0mm galvanised steel backing
- · Mounted on leg stand with suite matching shelf
- Adjustable feet at front with rear rollers

#### **Bench Top Options**

- Gastronorm storage cabinet underneath
- · Gastronorm refrigeration module underneath

Product	Model Options	Dimensions	Model Codes
300mm Bench Top	Leg Stand Model	W 300mm, D 812mm, H 915mm Incl. splashback 1085mm	B30-LS



450mm Bench Top Cabinet Base Model Leg Stand Model W 450mm, D 812mm, H 915mm Incl. splashback 1085mm

B45-CB B45-LS



600mm Bench Top Cabinet Base Model Leg Stand Model W 600mm, D 812mm, H 915mm Incl. splashback 1085mm B60-CB B60-LS



Product	Model Options	Dimensions	Model Codes
900mm Bench Top	Cabinet Base Model Leg Stand Model Refrigerated Base Model	W 900mm, D 812mm, H 915mm Incl. splashback 1085mm	B90-CB B90-LS B90-RB



#### 900mm Bench Top with Salamander Support

Cabinet Base Model Leg Stand Model Refrigerated Base Model W 900mm, D 812mm, H 915mm Incl. splashback 1085mm

B90S-CB B90S-LS B90S-RB



### Check in for the Blue Seal Electric Experience.

Our dealer showrooms are well resourced to give you a full run-down on the Blue Seal Evolution Series. To book in for a demonstration or an introductory session at a Moffat test kitchen near you, please go to one of our websites:

moffat.com.au/book-demo moffat.co.nz/book-demo





### Service Wherever You are.

The Moffat Technical Service Department provides 24/7 support and our network of authorised providers is strategically located for servicing outlying areas. Contact us directly on one of our toll-free numbers.

Moffat Australia - 1300 264 217 Moffat New Zealand - 0800 663 328



# We've got Your back.

Our 2 year warranty is backed by unrivalled service and technical support, delivering peace of mind from the moment you start.







#### Australia moffat.com.au

#### **Moffat Pty Limited**

Victoria/Tasmania 740 Springvale Road Mulgrave, Victoria 3170 Telephone +61 3-9518 3888 Facsimile +61 3-9518 3833 vsales@moffat.com.au

**New South Wales** Telephone +61 2-8833 4111 nswsales@moffat.com.au

South Australia Telephone +61 3-9518 3888 vsales@moffat.com.au

Queensland / Northern Territory Telephone +61 7-3630 8600 qldsales@moffat.com.au

Western Australia Telephone +61 8-9413 2400 wasales@moffat.com.au

**New Zealand** moffat.co.nz

#### **Moffat Limited**

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 sales@moffat.co.nz

Telephone +64 9-574 3150 sales@moffat.co.nz

#### International moffat.com

#### **Moffat Limited**

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 international@moffat.co.nz

#### IS09001

All Blue Seal Evolution products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd AN.BSE.B.01/24

















an Ali Group Company

