

**SDX<sup>®</sup>THERMOBOX<sup>®</sup>**



*Keeping the right temperature*

**MOFFAT<sup>®</sup>**

# Series overview



SERIES	K ECO	S	F & E
COLOUR	BLUE	BLACK	RED
TYPE	COOLING	NEUTRAL	HEATED
TECHNOLOGY	COMPRESSOR	INSULATED ONLY	CONVECTION & STATIC
SIZES			
INNER CONTAINER	Fully welded container in stainless steel.		
GUIDES	Stainless steel, pressed from the inner container.		
CAPACITY GN1/1	4	6	8
	10	12	14
	8+8	10+10	12+12
	14+14	12+12+12	
SPACING	80mm		
MAXIMUM LOAD	30 kg per pair of guides		
INSULATION:	Polyurethane.		
DOOR	Recessed for best insulation properties, internal surface made of smooth and seamless stainless steel.		
EXTERIOR WALLS AND DOOR	ABS plastic.		
TOP FRAME	A stable upper and lower galvanised steel coated frame with PVC corners.		
TROLLEY FRAME:	Stainless steel coated with PVC.		
WHEELS	160 mm castors, two fixed, two swivel with brakes.		
VOLT	230v	-	230v


SERIES	SF & SE	KF & CE
COLOUR	BLACK/RED	BLUE/RED
TYPE	NEUTRAL & HEATED	COOLED & HEATED
TECHNOLOGY	INSULATED ONLY & CONVECTION HEATING OR STATIC HEATING	COMPRESSOR COOLING & CONVECTION HEATING OR STATIC HEATING
INNER CONTAINER	Fully welded container in stainless steel.	
GUIDES	Stainless steel, pressed from the inner container.	
SPACING	80mm	
MAXIMUM LOAD	30 kg per pair of guides	
INSULATION:	Polyurethane.	
DOOR	Recessed for best insulation properties, internal surface made of smooth and seamless stainless steel.	
EXTERIOR WALLS AND DOOR	ABS plastic.	
TOP FRAME	A stable upper and lower galvanised steel coated frame with PVC corners.	
TROLLEY FRAME:	Stainless steel coated with PVC.	
WHEELS	160 mm castors, two fixed, two swivel with brakes.	



COOLED

## THERMOBOX® K ECO COMPRESSOR COOLING


K-boxes are excellent for food that is to be served cold, and for transporting and storing food that is to be heated up subsequently.



NEUTRAL

## THERMOBOX® S ISOLATED BOX

S-boxes are ideal for food that is to be served cold as well as for transporting and storing food that is to be heated at a later stage in the process.



HEATED

## THERMOBOX® F CONVECTION HEATED

### THERMOBOX® E STATIC HEATED

F & E boxes are ideal for storing hot food where the quality of the food is maintained during transport.




HEATED



NEUTRAL

## THERMOBOX® SF & SE

These Thermoboxes are capable of transporting both hot and cold food at the same time. One part of the unit is neutral, while the other part is heated by convection or static.



HEATED



COOLED

## THERMOBOX® SF & CE

These Thermoboxes are capable of transporting both hot and cold food at the same time. Compressor cooling is used one part, while convection or static heating is used in the other part.

# Features & Benefits



# Single Thermobox®

TRAY CAPACITY	S NEUTRAL	K COOLING	E STATIC HEATED	F CONVECTION HEATED
4	<b>S60R</b> Weight : 37kg W 525 x D 710 x H 870	<b>K60R</b> Weight : 37kg W 525 x D 710 x H 895	<b>E60R</b> Weight : 37kg W 525 x D 710 x H 895	<b>F60R</b> Weight : 37kg W 525 x D 770 x H 1055
6	<b>S90R</b> Weight : 41kg W 525 x D 710 x H 1030		<b>E90R</b> Weight : 41kg W 525 x D 710 x H 1055	<b>F90R</b> Weight : 45kg W 525 x D 770 x H 1055
8	<b>S120R</b> Weight : 45kg W 525 x D 710 x H 1190	<b>K120R</b> Weight : 73kg W 525 x D 770 x H 1245	<b>E120R</b> Weight : 48kg W 525 x D 710 x H 1215	<b>F120R</b> Weight : 49kg W 525 x D 770 x H 1215
10	<b>S150R</b> Weight : 47kg W 525 x D 710 x H 1155	<b>K150R</b> Weight : 75kg W 525 x D 770 x H 1430		<b>F150R</b> Weight : 61kg W 525 x D 770 x H 1180
12	<b>S180R</b> Weight : 50kg W 525 x D 710 x H 1330	<b>K180R</b> Weight : 77kg W 525 x D 770 x H 1575	<b>E180R</b> Weight : 51kg W 525 x D 710 x H 1355	<b>F180R</b> Weight : 57kg W 525 x D 770 x H 1355
14	<b>S210R</b> Weight : 56kg W 525 x D 710 x H 1490			<b>F210R</b> Weight : 64kg W 525 x D 770 x H 1515

# SDX Thermobox® Banquet

S NEUTRAL	K COOLING	F CONVECTION HEATED	F CONVECTION HEATED	F CONVECTION HEATED
<b>BANQUET S</b> Weight : 88kg W 790 x D 890 x H 1420 Tray Capacity : 17 x 1/1 GN	<b>BANQUET K</b> Weight : 138kg W 790 x D 890 x H 1740 Tray Capacity : 13 x 1/1 GN	<b>BANQUET F12</b> Weight : 88kg W 790 x D 890 x H 1420 Tray Capacity : 12 x 1/1 GN	<b>BANQUET F</b> Weight : 105kg W 790 x D 890 x H 1740 Tray Capacity : 17 x 1/1 GN	<b>BANQUET FF16</b> Weight : 114kg W 790 x D 890 x H 1740 Tray Capacity : 8+8 x 2/1 GN

# Popular Configurations



**||| F90R-BUC**

Weight : 42kg  
W 525 x D 770 x H 820  
Tray Capacity : 6 x 1/1 GN



**||| F150R-BCB**

Weight : 61kg  
W 525 x D 770 x H 1180  
Tray Capacity : 10 x 1/1 GN



**||| E180R**

Weight : 61kg  
W 525 x D 770 x H 1180  
Tray Capacity : 10 x 1/1 GN



**||| F180R**

Weight : 57kg  
W 525 x D 770 x H 1355  
Tray Capacity : 12 x 1/1 GN



**||| F180R-BCB**

Weight : 57kg  
W 525 x D 770 x H 1355  
Tray Capacity : 12 x 1/1 GN



**||| F180R-Classic**

Weight : 65kg  
W 525 x D 710 x H 1330  
Tray Capacity : 12 x 1/1 GN



**\* K180R**

Weight : 77kg  
W 525 x D 770 x H 1575  
Tray Capacity : 12 x 1/1 GN



**||| SE150R**

Weight : 56kg  
W 525 x D 710 x H 1285  
Tray Capacity: 4+6 x 1/1 GN



**||| SF180R48**

Weight : 62kg  
W 525 x D 750 x H 1445  
Tray Capacity : 6+6 x 1/1 GN



**\* ||| CF150R**

Weight : 66kg  
W 525 x D 830 x H 1285  
Tray Capacity : 4+6 x 1/1 GN



**||| BANQUET F-CB**

Weight : 105kg  
W 790 x D 890 x H 1740  
Tray Capacity : 17 x 1/1 GN



**||| BANQUET F12**

Weight : 88kg  
W 790 x D 890 x H 1420  
Tray Capacity : 12 x 1/1 GN

# Wash Racks

**WRG53**



5 x 1/1 GN 65mm depth capacity  
Dimensions: 500mm x 500mm

**WRT5310**



10 x 1/1 GN Flat/Grids capacity  
Dimensions: 500mm x 500mm
















**WRT10NE**















10 x Flat /grids capacity  
Dimensions: 500mm x 500mm

# Side by Side Thermobox®


Measurements in mm

TRAY CAPACITY	FF CONVECTION HEATED / CONVECTION HEATED	SF NEUTRAL / CONVECTION HEATED	ACTIVE CHILLING / CONVECTION HEATED	KF COMPRESSOR CHILLING / CONVECTION HEATED
8	 <b>FF240R</b> Weight : 110kg W 930 x D 770 x H 1125	 <b>SF240R</b> Weight : 90kg W 930 x H 770 x H 1215	 <b>CF240R</b> Weight : 115kg W 930 x D 830 x H 1215	 <b>KF240R</b> Weight : 108kg W 930 x D 770 x H 1245
10	 <b>FF300R</b> Weight : 120kg W 930 x D 770 x H 1180	 <b>SF300R</b> Weight : 110kg W 930 x H 770 x H 1180	 <b>CF300R</b> Weight : 124kg W 930 x D 830 x H 1180	 <b>KF300R</b> Weight : 120kg W 920 x D 770 x H 1400
12	 <b>FF360R</b> Weight : 114kg W 930 x D 770 x H 1355	 <b>SF360R</b> Weight : 115kg W 930 x D 770 x H 1335	 <b>CF360R</b> Weight : 135kg W 930 x D 830 x H 1355	 <b>KF360R</b> Weight : 150kg W 930 x D 770 x H 1575
14	 <b>FF420R</b> Weight : 128kg W 930 x D 770 x H 1515	 <b>SF420R</b> Weight : 126kg W 930 x D 770 x H 1515	 <b>CF420R</b> Weight : 145kg W 930 x D 830 x H 1515	

## Factory Options

<b>123.006</b>  200mm castors, 2 fixed and 2 swivel castors with brakes	<b>149.010</b>  Towing set side by side trolley	<b>123.015</b>  Central brake 160mm castors	<b>123.031</b>  Central brake 200mm castors	<b>123.048</b>  One cable for side by side trolley	<b>123.017</b>  Glass door
<b>212.011</b>  Extra handles, set of 2	<b>219.026</b>  A4 Label Holder	<b>219.028</b>  A5 Label Holder	<b>255.001</b>  A6 Label Holder	<b>141.002</b>  Chilling plate 1/1 GN (with frame)	<b>123.027</b>  Trolley frame with cross country wheels

# Make your own combination



In case you are having difficulty finding the right combination for your needs, we can help you create your own Thermobox®. We can combine all our modules from the smallest volume with 4 guides to our largest volume with 14 guides.

Contact us about your food transportation needs and we will provide you with a solution.



**Australia**  
**moffat.com.au**

Australia  
Moffat Pty Limited  
Victoria/Tasmania  
740 Springvale Road  
Mulgrave, Victoria 3170  
Telephone +61 3-9518 3888  
Facsimile +61 3-9518 3833  
vsales@moffat.com.au

New South Wales  
Telephone +61 2-8833 4111  
nswsales@moffat.com.au

South Australia  
Telephone +61 3-9518 3888  
vsales@moffat.com.au

Queensland / Northern Territory  
Telephone +61 7-3630 8600  
qldsales@moffat.com.au

Western Australia  
Telephone +61 8-9413 2400  
wasales@moffat.com.au

**New Zealand**  
**moffat.co.nz**

Moffat Limited  
Rolleston  
45 Illinois Drive  
Izone Business Hub  
Rolleston 7675  
Telephone +64 3-983 6600  
Facsimile +64 3-983 6660  
sales@moffat.co.nz

Auckland  
Telephone +64 9-574 3150  
sales@moffat.co.nz

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd  
AN.SDX.8PP.01.26



an Ali Group Company



The Spirit of Excellence