

ELECTRIC GRIDDLE STATIC OVEN RANGE 900mm

EP506

- Heavy-duty thermostatic electric griddle
- 20mm thick griddle plate
- Ribbed plate options
- Mirror chromed plate options
- Top weld sealed plates
- 12kW griddle plate heating elements
- Separate left and right heat zones
- GN 2/1 6.5kW electric static oven
- Drop down door
- Rear rollers
- Stainless steel exterior
- Easy clean
- Easy service
- Fully modular



EP506

Overall Construction

- · Galvanized steel chassis
- Welded hob surround with 1.5mm 304 stainless steel bull nose
- Hob sides 1.2mm 304 stainless steel
- Splashback 1.2mm 304 stainless steel
- Front panels and oven sides 0.9mm 304 stainless steel
- · Vitreous enamelled hob control panel
- 63mm dia. heavy-duty 1.2mm 304 stainless steel adjustable legs at front and two rollers at rear

Griddle

- 20mm thick machined top plates standard
- · Optional ribbed plate sections
- Optional mirror finish hard chrome plates
- 2.5mm thick 304 stainless steel splash guards sides and rear
- 2.5mm thick grease channel
- Dual thermostatic control zones
- Welded hob surround with 1.5mm 304 stainless steel bull nose
- Splashback and side panels 1.2mm 304 stainless steel
- Front panels 0.9mm 304 stainless steel
- Stainless steel grease drawer
- Overlapping finish at front and rear of plate for easy clean

Oven

- · Fully welded and vitreous enamelled oven liner
- GN 2/1 capacity with 4 position racking
- Heavy-duty easy remove heavy wire chrome rack supports
- · Cast iron even heat oven sole plate
- 6.5kW heating elements
- Drop down door

- 0.9mm 304 stainless steel door outer
- 1.0mm vitreous enamelled door inner
- · High density fibreglass insulated
- \bullet Supplied with two chrome wire oven racks

Controls

- · Large easy use control knob heat resistant reinforced
- · Easy view control settings on knob

Griddle

- Separate left and right side heat zones
- Two 50-300°C thermostats
- · Indicator lights for power and heating
- Over-temperature safety cut-outs

Oven

- Separate temperature and top heat power regulation controls
- 50-320°C thermostatic control
- Lo-Hi top heat control
- Indicator lights for power and heating

Cleaning and Servicing

- · All models with easy clean stainless steel external finish
- Plate is finished front and rear with overlap construction to remove cleaning traps
- · Removable oven racking and sole plate
- Easy clean vitreous enamel oven and door inner
- · Access to all parts from front of unit



ELECTRIC GRIDDLE STATIC OVEN RANGE 900mm

EP506

Specifications

Griddle

6 x 2kw stainless steel sheathed heating elements clad to pan base

Oven

4.5kW bottom heat element 2.0kW top heat element

Electrical requirements

18.5kW

400-415Vac, 50/60Hz, 3P+N+E

Phase loading

L1 26A L2 26A L3 26A

Plate

Cooking surface 892mm x 530mm, 4728cm2

Oven Dimensions

Width 665mm Depth 590mm

Height 400mm

Rack size 650mm x 600mm

Rack positions 4

Dimensions

Width 900mm

Depth 812mm

Height 915mm Incl. splashback 1085mm

Nett weight

153kg

Packing data

1.03m3, 218kg

Width 945mm

Depth 870mm

Height 1255mm

Options

Adjustable feet at rear


Joining caps

Castors

Ribbed plate options

Mirror chromed plate options

EP506





MOFFAT

moffat.com.au moffat.co.nz

Australia moffat.com.au

Moffat Pty Limited

Victoria/Tasmania 740 Springvale Road Mulgrave, Victoria 3170 Telephone +613-9518 3888 Facsimile +613-9518 3833 vsales@moffat.com.au

New South Wales Telephone +612-8833 4111 nswsales@moffat.com.au

South Australia Telephone +613-9518 3888 vsales@moffat.com.au

Queensland Telephone +617-3630 8600 aldsales@moffat.com.au

Western Australia Telephone +618-9413 2400 wasales@moffat.com.au

New Zealand moffat.co.nz

Moffat Limited

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 sales@moffat.co.nz

Auckland

Telephone +64 9-574 3150 sales@moffat.co.nz





In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd AN.BSE.01.2025



