# Varimixer

# KODIAK 20

Table model

**VERY SIMPLE INTUITIVE OPERATION** Set the time and speed. Press start and stop. It's that simple, and everything is controlled at an ergonomic working height from the angled control panel.

**RUNS ON 230 VOLTS** KODIAK can be connected to a normal power outlet. A frequency converter and a three-phase motor make Varimixer KODIAK a very powerful mixer.

#### FRONT ATTACHMENT DRIVE KODIAK

is also available with an attachment drive for meat mincers and vegetable slicers. —

PATENTED DETACHABLE SAFETY GUARD The — guard has an integrated filling tray, is made of transparent polycarbonate and is dishwasher-safe. It can be attached instantly without tools. The guard is held in place by magnets, which also serve as a safety cut-off

#### **WORLD'S MOST EFFECTIVE WHIP**

Unique design increases speed at the periphery and reduces the working time.

**TWO MACHINES IN ONE** The KODIAK 20-litre model can be supplemented with a smaller 12-litre bowl and accociated tools, for production in reduced quantities. This increases the machine's versatility

#### **ERGONOMIC RAISING AND LOWERING**

The ergonomically designed handle lowers and raises the bowl and locks it in place in a single movement.



STAINLESS STEEL Made of easy-to-clean stainless steel with a strong frame and high, adjustable legs, to allow cleaning under the machine. The bowl, wire whip, beater, dough hook and scraper are also made of stainless steel and are dishwasher-





### **VARIMIXER KODIAK OPTIONS - MODELS**



Stainless steel, 20 L table model



Marine version, 20 L table model

#### **OPTIONS - ATTACHMENT DRIVE**




Attachment drive for meat mincer and vegetable cutter



Meat mincer, 70 mm



Meat mincer, 82 mm



Vegetable cutter GR20

# VARIMIXER KODIAK STANDARD TOOLS – A-EQUIPMENT 20 L



Hook, whip, beater and bowl 20 L in stainless steel.

# **VARIMIXER KODIAK TOOLS – B-EQUIPMENT 20/12 L**



Hook, whip, beater and bowl 20/12 L in stainless steel.

### **ACCESSORIES - TOOLS**



Automatic scraper in stainless steel. Nylon or teflon blade. 20L and 20/12L.



Tool rack, 91 cm

VARIMIXER KODIAK 20L STANDARD TECHNICAL DATA			
Volume	20	1	
Effect	700	W	
Voltage*	230	V	
Net weight table model	72	kg	
Variable speed	64 - 353	RPM	
Phases	1	ph	
IP code	IP44		

 $<sup>^{\</sup>circ}$ Other voltage power supply are available upon request in the range of 100 to 480 V. All standard and marine mixers are available in 50 and 60 Hz.

CAPACITIES	
Egg Whites	2.4
Whipped cream	5.0
Mayonnaise	16 I
Herb butter	10 kg
Mashed potatoes	12 kg
Bread dough (50% AR)	10 kg
Bread dough (60% AR)	11 kg
Ciabatta dough (70% AR)	12 kg
Muffins	14 kg
Layer cake base	5.0 kg
Meatball mix	15 kg
Icing	14 kg
Doughnut (50% AR)	12.5 kg

# CERTIFICATIONS









#### **VARIMIXER KODIAK 20L MARINE VERSION**

Water cover at air ventilation, slottet free screws, fixed sealed power cable, supplied without plug. Gasket at machine lid. Built in transformer. Complies with USPHS.

Voltage: 2 ph, 400V, 50-60 Hz with 0 and ground. 700 W 2 ph, 440V, 50-60 Hz with 0 and ground. 700 W 2 ph, 480V, 50-60 Hz with 0 and ground. 700 W

### DIMENSIONS





# Varimixer

A/S Wodschow & Co Kirkebjerg Søpark 6 DK-2605 Brøndby P: +45 4344 2288 E: info@varimixer.com www.varimixer.com